

USG Data Store

# Data Element Dictionary

Facilities Inventory Data Collection

# Table of Contents

1. Facilities .....	4
1. Building .....	4
1. Building Code .....	4
2. Sub-Division Code .....	4
3. Building Name .....	5
4. Percent Renovated .....	6
5. Construction Project Code .....	7
6. Number of Floors .....	8
7. Congressional District .....	9
8. County Location Code .....	9
9. Initial Year Constructed .....	10
10. Initial Year Occupied .....	11
11. Year Renovated .....	12
12. Construction Type .....	13
13. Condition Status Code .....	13
14. Ownership Code .....	14
15. Initial Investment .....	15
16. Average Cost Per Square Foot .....	16
17. Gross Area of Building .....	17
18. Percent Resident Instruction .....	18
19. Percent Auxiliary Enterprises .....	18
20. Percent Other Purposes .....	19
21. Primary Use Code .....	20
22. Building on Main Campus .....	21
23. DHEW Remote Control .....	22
24. Dorm Beds Available .....	22
25. Dorm Beds Occupied .....	23
26. Apartment Spaces Available .....	24
27. Apartment Spaces Occupied .....	25
28. House Spaces Available .....	26
29. House Spaces Occupied .....	26
2. Room .....	27
1. Room Code .....	27
2. Room Description .....	28
3. Room Area in Square Feet .....	29
4. Room Use Code .....	30
5. Program Class Code .....	31
6. Number of Stations .....	32
7. Classification of Instructional Program Code .....	33

# Table of Contents

2. General .....	34
1. General .....	35
1. Institution Code .....	35
2. Academic Term .....	35

# Facilities

## Building

Building Code		BUI001						
Category	Facilities Inventory / Facilities / Building / BUI001							
Description	A four digit code used to identify a building for institution/campus use.							
Data Type	A/N							
Length	6							
Format	X							
Collection Period	Current		Following					
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other	
							Y	
Reference Table	(None)							
Business Practices	<p>Building Code is the unique identifier of all buildings within the inventory of an institution, and as such is a key element of the unique identification of all rooms in the inventory. Institutions may change Building Codes over time for improved identification and operations, but the corresponding Regents Building Code (translated on the Building Translation Form ZLARBDG) cannot be changed except in specific circumstances approved by the USG Office of Real Estate and Facilities (i.e. Consolidation).</p>							
Validation Rules	<b>Status: Active</b>							
	Severity	Code	Description					
	Error	VBUI001	building code must not be null.					
Data Source	Provider	Banner						
	Table	ZLBRBDG   ZLBBSUP						

Data Type	N						
Length	2						
Format	X						
Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
Reference Table	(None)						
Business Practices							

Y

	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other	
								Y
Reference Table	(None)							
Business Practices	The Key block Building code field is used to identify a building. A List of Values selected from the Building Code Validation Form (STVBLDG) is available for this item. Once a valid code is entered in the Key block Building field, the building name is displayed in the next field, and the associated Regents' building number is displayed in the Regents' Building Code field.							
Validation Rules	<b>Status: Active</b>							
	Severity	Code	Description					
	Error	VBUI006	building name must not be null.					
Data Source	Provider	Banner						
	Table	STVBLDG   ZLBBSUP						
	Column	STVBLDG.STVBLDG_DESC (STVBLDG) where ZLBBSUP.ZLBBSUP_BLDG_CODE (ZLABSUP) = STVBLDG.STVBLDG_CODE						
	GUI Name	STVBLDG						
	GUI Label	DESCRIPTION						
	SOAXREF Translation Code							
Effective Terms	Start: (None) End: (None)							
Old DW Reference	BUILDING_NAME							
Legacy Element ID	F305							
Change History	(None)							

Percent Renovated								BUI004
Category	Facilities Inventory / Facilities / Building / BUI004							
Description	The estimated percentage of the building that was renovated at the last renovation date.							
Data Type	N							
Length	3							
Format	X							
Collection Period	Current		Following					
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other	
								Y
Reference Table	(None)							
Business Practices	The Renovation Percent field is the estimated percentage of the most recent renovation.							
Validation Rules	<b>Status: Active</b>							

Severity	Code	Description
Error	VBUI007	percent renovated must be 000 or 025 - 100.
	VBUI008	if percent renovated is 25 or above the year renovated field must not be null.

Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_RENOVATE_PCT
	GUI Name	ZLABSUP
	GUI Label	RENOVATE %:
	SOAXREF Translation Code	
Effective Terms	Start: 19932 End: (None)	
Old DW Reference	RENOVATE_PCT	
Legacy Element ID	F306	
Change History	(None)	

## Construction Project Code

BUI005

Category	Facilities Inventory / Facilities / Building / BUI005																					
Description	A value assigned by the USG Office of Real Estate and Facilities when the building was built or last renovated in a project funded by State General Obligation Bonds.																					
Data Type	A/N																					
Length	4																					
Format	X																					
Collection Period	<table border="1"> <thead> <tr> <th colspan="2">Current</th> <th colspan="2">Following</th> <th colspan="3"></th> </tr> <tr> <th>Mid-term</th> <th>End of Term</th> <th>Mid-term</th> <th>End of Term</th> <th>Annual</th> <th>Monthly</th> <th>Other</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Y</td> </tr> </tbody> </table>	Current		Following					Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other							Y
Current		Following																				
Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other																
						Y																
Reference Table	(None)																					
Business Practices	If the Project Number has more than 4 characters, enter the last four characters The Construction Project Number field is a value assigned by the USG Office of Real Estate and Facilities when the building was built or last renovated in a project funded by State General Obligation Bonds.																					
Validation Rules	<p><b>Status: Active</b></p> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI009</td> <td>if ownership code is 9 then construction project code cannot be null.</td> </tr> </tbody> </table>	Severity	Code	Description	Error	VBUI009	if ownership code is 9 then construction project code cannot be null.															
Severity	Code	Description																				
Error	VBUI009	if ownership code is 9 then construction project code cannot be null.																				
Data Source	<table border="1"> <tr> <td>Provider</td> <td>Banner</td> </tr> <tr> <td>Table</td> <td>ZLBBSUP</td> </tr> <tr> <td>Column</td> <td>ZLBBSUP.ZLBBSUP_CONSTR_PROJ_NUMB</td> </tr> <tr> <td>GUI Name</td> <td>ZLABSUP</td> </tr> </table>	Provider	Banner	Table	ZLBBSUP	Column	ZLBBSUP.ZLBBSUP_CONSTR_PROJ_NUMB	GUI Name	ZLABSUP													
Provider	Banner																					
Table	ZLBBSUP																					
Column	ZLBBSUP.ZLBBSUP_CONSTR_PROJ_NUMB																					
GUI Name	ZLABSUP																					

	GUI Label	CONST Proj #:
	SOAXREF Translation Code	
Effective Terms	Start: 19912 End: (None)	
Old DW Reference	CONSTRUCT_PROJ_CODE	
Legacy Element ID	F307	
Change History	(None)	

**Number of Floors** BUI006

Category	Facilities Inventory / Facilities / Building / BUI006						
Description	The number of floors in the building						
Data Type	N						
Length	2						
Format	X						
Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
							Y
Reference Table	(None)						
Business Practices	Include all basements, mezzanines, and attics if the square feet of the level in question exceeds 50% of the main floor of the building.						
Validation Rules	<b>Status: Active</b>						
	Severity	Code	Description				
	Error	VBUI010	number of floors must not be null.				
Data Source	Provider	Banner					
	Table	ZLBBSUP					
	Column	ZLBBSUP.ZLBBSUP_NUMB_FLOORS					
	GUI Name	ZLABSUP					
	GUI Label	# FLOORS:					
	SOAXREF Translation Code						
	Effective Terms	Start: 19912 End: (None)					
Old DW Reference	NBR_OF_FLOORS						
Legacy Element ID	F308						
Change History	(None)						



Congressional District		BUI007																					
Category	Facilities Inventory / Facilities / Building / BUI007																						
Description	The numeric equivalent for the congressional district where the institution is located.																						
Data Type	N																						
Length	2																						
Format	X																						
Collection Period	<table border="1"> <thead> <tr> <th colspan="2">Current</th> <th colspan="3">Following</th> <th colspan="2"></th> </tr> <tr> <th>Mid-term</th> <th>End of Term</th> <th>Mid-term</th> <th>End of Term</th> <th>Annual</th> <th>Monthly</th> <th>Other</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Y</td> </tr> </tbody> </table>		Current		Following					Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other							Y
Current		Following																					
Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other																	
						Y																	
Reference Table	EDW_FIDM_CONGRESS_DIST_LKP																						
Business Practices	<p>The Congressional District Code Validation Form (ZTVCONG) is used to define the Georgia Congressional Districts. Congressional district boundaries are subject to change due to reapportionment, which occurs following the release of necessary Census data in the first 12-18 months of each decade. Current maps and data are available from the Georgia Legislative and Congressional Reapportionment Office.</p>																						
Validation Rules	<p><b>Status: Active</b></p> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI011</td> <td>congressional district cannot be null.</td> </tr> </tbody> </table> <p><b>Status: Inactive</b></p> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI012</td> <td>the combination of congressional district and county location code must be valid.</td> </tr> </tbody> </table>		Severity	Code	Description	Error	VBUI011	congressional district cannot be null.	Severity	Code	Description	Error	VBUI012	the combination of congressional district and county location code must be valid.									
Severity	Code	Description																					
Error	VBUI011	congressional district cannot be null.																					
Severity	Code	Description																					
Error	VBUI012	the combination of congressional district and county location code must be valid.																					
Data Source	<table border="1"> <tbody> <tr> <td>Provider</td> <td>Banner</td> </tr> <tr> <td>Table</td> <td>ZLBBSUP</td> </tr> <tr> <td>Column</td> <td>ZLBBSUP.ZLBBSUP_CONG_DIST</td> </tr> <tr> <td>GUI Name</td> <td>ZLABSUP</td> </tr> <tr> <td>GUI Label</td> <td>CONG DISTRICT:</td> </tr> <tr> <td>SOAXREF Translation Code</td> <td></td> </tr> </tbody> </table>		Provider	Banner	Table	ZLBBSUP	Column	ZLBBSUP.ZLBBSUP_CONG_DIST	GUI Name	ZLABSUP	GUI Label	CONG DISTRICT:	SOAXREF Translation Code										
Provider	Banner																						
Table	ZLBBSUP																						
Column	ZLBBSUP.ZLBBSUP_CONG_DIST																						
GUI Name	ZLABSUP																						
GUI Label	CONG DISTRICT:																						
SOAXREF Translation Code																							
Effective Terms	<p>Start: 19912 End: (None)</p>																						
Old DW Reference	CONGRESS_DIST_CODE																						
Legacy Element ID	F309																						
Change History	(None)																						

County Location Code		BUI008
Category	Facilities Inventory / Facilities / Building / BUI008	
Description	The numeric equivalent that identifies the Georgia county where the building is located.	
Data Type	N	

Length	3																						
Format	X																						
Collection Period	<table border="1"> <thead> <tr> <th colspan="2">Current</th> <th colspan="3">Following</th> <th></th> <th></th> <th></th> </tr> <tr> <th>Mid-term</th> <th>End of Term</th> <th>Mid-term</th> <th>End of Term</th> <th>Annual</th> <th>Monthly</th> <th>Other</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Y</td> </tr> </tbody> </table>	Current		Following						Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other							Y
Current		Following																					
Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other																	
						Y																	
Reference Table	EDW_COUNTY_LKP																						
Business Practices	Values and corresponding county names are maintained within Banner in Validation Form STVCNTY.																						
Validation Rules	<p><b>Status: Active</b></p> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI013</td> <td>county location code cannot be null.</td> </tr> </tbody> </table>	Severity	Code	Description	Error	VBUI013	county location code cannot be null.																
Severity	Code	Description																					
Error	VBUI013	county location code cannot be null.																					
Data Source	<table border="1"> <tr> <td>Provider</td> <td>Banner</td> </tr> <tr> <td>Table</td> <td>SLBBLDG   ZLBBSUP</td> </tr> <tr> <td>Column</td> <td>SORXREF.SORXREF_EDI_VALUE (SOAXREF) where SORXREF.SORXREF_XLBL_CODE = 'RGCNTY' and SORXREF.SORXREF_BANNER_VALUE = SLBBLDG.SLBBLDG_CNTY_CODE (SLABLDG) and SLBBLDG.SLBBLDG_BLDG_CODE = ZLBBSUP.ZLBBSUP_BLDG_CODE (ZLABSUP)</td> </tr> <tr> <td>GUI Name</td> <td>SLABLDG, ZLABSUP, SOAXREF</td> </tr> <tr> <td>GUI Label</td> <td>COUNTY CODE</td> </tr> <tr> <td>SOAXREF Translation Code</td> <td>RGCNTY</td> </tr> </table>	Provider	Banner	Table	SLBBLDG   ZLBBSUP	Column	SORXREF.SORXREF_EDI_VALUE (SOAXREF) where SORXREF.SORXREF_XLBL_CODE = 'RGCNTY' and SORXREF.SORXREF_BANNER_VALUE = SLBBLDG.SLBBLDG_CNTY_CODE (SLABLDG) and SLBBLDG.SLBBLDG_BLDG_CODE = ZLBBSUP.ZLBBSUP_BLDG_CODE (ZLABSUP)	GUI Name	SLABLDG, ZLABSUP, SOAXREF	GUI Label	COUNTY CODE	SOAXREF Translation Code	RGCNTY										
Provider	Banner																						
Table	SLBBLDG   ZLBBSUP																						
Column	SORXREF.SORXREF_EDI_VALUE (SOAXREF) where SORXREF.SORXREF_XLBL_CODE = 'RGCNTY' and SORXREF.SORXREF_BANNER_VALUE = SLBBLDG.SLBBLDG_CNTY_CODE (SLABLDG) and SLBBLDG.SLBBLDG_BLDG_CODE = ZLBBSUP.ZLBBSUP_BLDG_CODE (ZLABSUP)																						
GUI Name	SLABLDG, ZLABSUP, SOAXREF																						
GUI Label	COUNTY CODE																						
SOAXREF Translation Code	RGCNTY																						
Effective Terms	<b>Start: 19912</b> <b>End: (None)</b>																						
Old DW Reference	COUNTY_CODE																						
Legacy Element ID	F310																						
Change History	(None)																						

## Initial Year Constructed

BUI009

Category	Code	Code
----------	------	------

Validation Rules	<b>Status: Active</b>	
	Severity	Description
	Error	VBUI014 initial year construction cannot be null.
		VBUI015 initial year construction must be between 1800 and current year + 2 years.
Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_INIT_CONSTR_YEAR
	GUI Name	ZLABSUP
	GUI Label	CONST. YEAR:
	SOAXREF Translation Code	
Effective Terms	Start: 19912	End: (None)
Old DW Reference	INITCONSTRUCTION_YR	
Legacy Element ID	F311	
Change History	(None)	

## Initial Year Occupied BUI010

Category	Facilities Inventory / Facilities / Building / BUI010
Description	The year the building was first occupied by the institution.
Data Type	N
Length	4
Format	X

	GUI Label	OCC. YEAR:
	SOAXREF Translation Code	
Effective Terms	Start: 19912 End: (None)	
Old DW Reference	INITOCCUPIED_YR	
Legacy Element ID	F312	
Change History	(None)	

<b>Year Renovated</b>	<b>BUI011</b>
-----------------------	---------------

Category	Facilities Inventory / Facilities / Building / BUI011						
Description	The year in which the building last had a major renovation (with construction costs exceeding 25% of the estimated building replacement cost).						
Data Type	N						
Length	4						
Format	X						
Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	

Legacy Element ID	F313
Change History	(None)

## Construction Type BUI012

Category	Facilities Inventory / Facilities / Building / BUI012						
Description	A code describing the type of material used to construct the building.						
Data Type	N						
Length	1						
Format	X						
Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
							Y
Reference Table	EDW_FIDM_CONSTRUCTION_LKP						
Business Practices	Values and descriptions are maintained within Banner in the Building Construction Code Validation Form (ZTVCNST).						
Validation Rules	<b>Status: Active</b>						
	Severity	Code	Description				
	Error	VBUI021	construction type must be 1 - 8.				
Data Source	Provider	Banner					
	Table	ZLBBSUP					
	Column	ZLBBSUP.ZLBBSUP_CNST_CODE					
	GUI Name	ZLABSUP					
	GUI Label	CNST CODE:					
	SOAXREF Translation Code						
Effective Terms	<b>Start: 19912</b> <b>End: (None)</b>						
Old DW Reference	CONSTRUCTION_CODE						
Legacy Element ID	F314						
Change History	(None)						

## Condition Status Code BUI013

Category	Facilities Inventory / Facilities / Building / BUI013						
Description	Describes the physical condition or occupancy status of the building.						
Data Type	N						
Length	2						
Format	X						

Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
							Y

Reference Table EDW\_FIDM\_CONDITION\_LKP

Business Practices The Condition Code field should describe the physical condition of the building at the time of data submission. Values and descriptions are maintained within Banner in the Building Condition Code Validation Form (ZTVCOND)

Validation Rules

**Status: Active**

Severity	Code	Description
Error	VBUI022	condition status code must be 1 - 9.

Data Source

Provider	Banner
Table	ZLBBSUP
Column	ZLBBSUP.ZLBBSUP_COND_CODE

[Fall\\_2012\\_Chgs\\_2012-09.pdf](#)

Validation Rules	<b>Status: Active</b> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI023</td> <td>ownership code must be 1 - 9.</td> </tr> </tbody> </table>		Severity	Code	Description	Error	VBUI023	ownership code must be 1 - 9.						
Severity	Code	Description												
Error	VBUI023	ownership code must be 1 - 9.												
Data Source	<table border="1"> <tr> <td>Provider</td> <td>Banner</td> </tr> <tr> <td>Table</td> <td>ZLBBSUP</td> </tr> <tr> <td>Column</td> <td>ZLBBSUP.ZLBBSUP_OWNC_CODE</td> </tr> <tr> <td>GUI Name</td> <td>ZLABSUP</td> </tr> <tr> <td>GUI Label</td> <td>OWNERSHIP:</td> </tr> <tr> <td>SOAXREF Translation Code</td> <td></td> </tr> </table>	Provider	Banner	Table	ZLBBSUP	Column	ZLBBSUP.ZLBBSUP_OWNC_CODE	GUI Name	ZLABSUP	GUI Label	OWNERSHIP:	SOAXREF Translation Code		
Provider	Banner													
Table	ZLBBSUP													
Column	ZLBBSUP.ZLBBSUP_OWNC_CODE													
GUI Name	ZLABSUP													
GUI Label	OWNERSHIP:													
SOAXREF Translation Code														
Effective Terms	<b>Start: 19912</b> <b>End: (None)</b>													
Old DW Reference	OWNERSHIP_CODE													
Legacy Element ID	F316													
Change History	(None)													

<b>Initial Investment</b>		<b>BUI015</b>																			
Category	Facilities Inventory / Facilities / Building / BUI015																				
Description	The cost of the building, expressed in nominal dollars at the time of construction or acquisition.																				
Data Type	N																				
Length	6																				
Format	X																				
Collection Period	<table border="1"> <thead> <tr> <th colspan="2">Current</th> <th colspan="2">Following</th> <th rowspan="2">Annual</th> <th rowspan="2">Monthly</th> <th rowspan="2">Other</th> </tr> <tr> <th>Mid-term</th> <th>End of Term</th> <th>Mid-term</th> <th>End of Term</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Y</td> </tr> </tbody> </table>			Current		Following		Annual	Monthly	Other	Mid-term	End of Term	Mid-term	End of Term							Y
Current		Following		Annual	Monthly	Other															
Mid-term	End of Term	Mid-term	End of Term																		
						Y															
Reference Table	(None)																				
Business Practices	Value must be between 1 and 999999. Initial investment values are nominal at the time of construction or acquisition (not adjusted for subsequent inflation) and should be based on the best historical knowledge available. NOTE - The entered values represent THOUSANDS of dollars.																				
Validation Rules	<b>Status: Active</b> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI024</td> <td>initial investment must be 1 - 99999.</td> </tr> </tbody> </table>			Severity	Code	Description	Error	VBUI024	initial investment must be 1 - 99999.												
Severity	Code	Description																			
Error	VBUI024	initial investment must be 1 - 99999.																			
Data Source	<table border="1"> <tr> <td>Provider</td> <td>Banner</td> </tr> <tr> <td>Table</td> <td>ZLBBSUP</td> </tr> </table>	Provider	Banner	Table	ZLBBSUP																
Provider	Banner																				
Table	ZLBBSUP																				

	Column	ZLBBSUP.ZLBBSUP_INITIAL_INVEST
	GUI Name	ZLABSUP
	GUI Label	INIT. INVEST:
	SOAXREF Translation Code	
Effective Terms	Start: 19912 End: (None)	
Old DW Reference	INITIAL_INVEST	
Legacy Element ID	F317	
Change History	(None)	

<b>Average Cost Per Square Foot</b>	<b>BUI016</b>
-------------------------------------	---------------

Category	Facilities Inventory / Facilities / Building / BUI016														
Description	The estimated construction cost, per gross square foot, to reconstruct the building with similar structural and mechanical systems.														
Data Type	N														
Length	3														
Format	X														
Collection Period	Current		Following												
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other								
							Y								
Reference Table	(None)														
Business Practices	<p>Value must be between 1 and 999.</p> <p>Select the value from the range that corresponds to the building's selected Primary Use Code that best represents the unit cost (per GSF) to reconstruct the building using similar structural and mechanical systems. Only construction costs must be included; design cost, FFE, and external infrastructure are excluded.</p>														
Validation Rules	<p><b>Status: Active</b></p> <table border="1" style="width: 100%;"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Error</td> <td>VBUI025</td> <td>average cost per square foot must not be null.</td> </tr> <tr> <td>VBUI026</td> <td>square foot value outside the valid range of values. "for the primary use code."</td> </tr> </tbody> </table>							Severity	Code	Description	Error	VBUI025	average cost per square foot must not be null.	VBUI026	square foot value outside the valid range of values. "for the primary use code."
Severity	Code	Description													
Error	VBUI025	average cost per square foot must not be null.													
	VBUI026	square foot value outside the valid range of values. "for the primary use code."													
Data Source	Provider	Banner													
	Table	ZLBBSUP													
	Column	ZLBBSUP_SQ_FOOT_VALUE													
	GUI Name	ZLABSUP													
	GUI Label	Sq Ft Value:													
	SOAXREF Translation Code														



Effective Terms	Start: 19912 End: (None)
Old DW Reference	SQ_FOOT_VALUE
Legacy Element ID	F318
Change History	(None)

<b>Gross Area of Building</b>	<b>BUI017</b>
-------------------------------	---------------

Category	Facilities Inventory / Facilities / Building / BUI017															
Description	The size of the building expressed in gross square feet.															
Data Type	N															
Length	7															
Format	X															
Collection Period	Current		Following													
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other									
							Y									
Reference Table	(None)															
Business Practices	<p>Value must be between 1 and 9999999.</p> <p>The Gross Area of Building field is for recording the overall size of the building in gross square feet, measured according to the guidelines and standards of NCES FICM (2006). If the GSF value must be changed (to reflect renovations, additions, partial demolitions, or to correct an erroneous value), the Gross Area the of Building field must be updated using the Facilities Information Override Form (ZLTFOVR).</p>															
Validation Rules	<p><b>Status: Active</b></p> <table border="1" style="width: 100%;"> <thead> <tr> <th style="width: 15%;">Severity</th> <th style="width: 15%;">Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI027</td> <td>gross area of building must be 1 - 9999999.</td> </tr> <tr> <td></td> <td>VBUI028</td> <td>the sum of the room area in square feet within the building must equal the gross area of building.</td> </tr> </tbody> </table>							Severity	Code	Description	Error	VBUI027	gross area of building must be 1 - 9999999.		VBUI028	the sum of the room area in square feet within the building must equal the gross area of building.
Severity	Code	Description														
Error	VBUI027	gross area of building must be 1 - 9999999.														
	VBUI028	the sum of the room area in square feet within the building must equal the gross area of building.														
Data Source	Provider	Banner														
	Table	ZLBBSUP														
	Column	ZLBBSUP.ZLBBSUP_GROSS_SQ_FT														
	GUI Name	ZLABSUP														
	GUI Label	GROSS SQ FT:														
	SOAXREF Translation Code															
Effective Terms	Start: 19912 End: (None)															
Old DW Reference	Gross Sq Ft:															
Legacy Element ID	F404															
Change History	(None)															

## Percent Resident Instruction

BUI018

Category	Facilities Inventory / Facilities / Building / BUI018
Description	

Reference Table (None)

Business Practices Value must be between 0 and 100.  
'Auxiliary Enterprises' is used to describe space that supports Auxiliary Services operations. Examples include: Bookstores; Retail operations; Dining Halls; Residence Halls; Parking Decks; and office and office support spaces for auxiliary services staff.

Validation Rules **Status: Active**

Severity	Code	Description
Error	VBUI030	percent auxiliary enterprises must be 000 - 100.

Data Source

Provider	Banner
Table	ZLBBSUP
Column	ZLBBSUP.ZLBBSUP_AUX_ENT_PCT
GUI Name	ZLABSUP
GUI Label	% AUX ENT:
SOAXREF Translation Code	

Effective Terms **Start:**

Severity	Code	Description
Error	VBUI031	percent other purposes must be 000 - 100.
	VBUI032	sum of percent resident instruction, percent auxiliary enterprises, and percent other purposes must be 100.

Data Source

Provider	Banner
Table	

	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_PRIM_CODE
	GUI Name	ZLABSUP
	GUI Label	PRIMARY USE:
	SOAXREF Translation Code	
Effective Terms	Start: 19932 End: (None)	
Old DW Reference	PRIMARY_USE_CODE	
Legacy Element ID	F408	

Legacy Element ID	F409
Change History	(None)

<b>DHEW Remote Control</b>	<b>BUI023</b>
----------------------------	---------------

Category	Facilities Inventory / Facilities / Building / BUI023
Description	Buildings located on remote institutional properties that are used by small portions of the student body for a short period of time.
Data Type	A
Length	1
Format	X

Collection Period	Current		Following		Annual	Monthly	Other
	Mid-term	End of Term	Mid-term	End of Term			
							Y

Reference Table	(None)
-----------------	--------

Business Practices	Value must be Y or N.
--------------------	-----------------------

Validation Rules	<b>Status: Active</b>						
	<table border="1" style="width: 100%;"> <thead> <tr> <th style="width: 15%;">Severity</th> <th style="width: 15%;">Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI035</td> <td>dhew remote control must be y or n.</td> </tr> </tbody> </table>	Severity	Code	Description	Error	VBUI035	dhew remote control must be y or n.
Severity	Code	Description					
Error	VBUI035	dhew remote control must be y or n.					

Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_DHEW_REMOTE
	GUI Name	ZLABSUP
	GUI Label	DHEW REMOTE:
	SOAXREF Translation Code	

Effective Terms	Start: 19912 End: (None)
-----------------	-----------------------------

Old DW Reference	DHEW_REMOTE_IND
------------------	-----------------

Legacy Element ID	F410
-------------------	------

Change History	(None)
----------------	--------

<b>Dorm Beds Available</b>	<b>BUI024</b>
----------------------------	---------------

Category	Facilities Inventory / Facilities / Building / BUI024
Description	A count of the number of dorm beds available for use within the building.
Data Type	N
Length	4

Format X

Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other

Y

Reference Table (None)

Business Practices Value must be between 0 and 9999.  
This count should reflect the design capacity of the building, and be in compliance with all relevant building and life safety codes.

Validation Rules **Status: Active**

Severity	Code	Description
Error	VBUI037	dorm beds occupied must not be null.
	VBUI039	dorm beds occupied may not exceed dorm beds available by more than 125%.

**Status: Inactive**

Severity	Code	Description
Error	VBUI038	dorm beds occupied greater than 0 is invalid when dorm beds available is 0.

Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_DORM_BEDS_USED
	GUI Name	ZLABSUP
	GUI Label	# DORM BEDS: Used
	SOAXREF Translation Code	

Effective Terms  
**Start: 19912**  
**End: (None)**

Old DW Reference DORM\_BEDS\_USED

Legacy Element ID F412

Change History (None)

## Apartment Spaces Available

**BUI026**

Category	Facilities Inventory / Facilities / Building / BUI026
Description	A count of the number of apartment spaces available for use.
Data Type	N
Length	4
Format	X

356.0898061..271 rg1 rg235.8 -233.438477 Td/R4 10 Tf(X) TFE682.3ET0.906 0.898 0.898 rg61.25 -384.25 88.5 -19.6 refq61.25 -3680 16..5 -1924.1eWnq

Current		Following				
Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other



Column	ZLBBSUP.ZLBBSUP_APT_SPACE
GUI Name	ZLABSUP
GUI Label	# APT SPACE: Avail.
SOAXREF Translation Code	

Effective Date	Start: 19912
Effective Date	End: (None)
Old Data	SPACE
Legacy Element	
Change History	

**Apartment Space** BUI027

Category	Facilities / Building / BUI027
Description	The number of apartment spaces presently occupied.
Data Type	N
Length	4
Format	X

Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other

Reference Table: (None)

Business Practices: Value must be between 0 and 9999.

Validation Rules

**Status: Active**

Severity	Code	Description
Error	VBUI041	apartment space occupied cannot be null.
	VBUI043	apartment space occupied may not exceed apartment space available by more than 150%.

**Status: Inactive**

Severity	Code	Description
Error	VBUI042	apartment space occupied greater than 0 is invalid when apartment space available is 0.

Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_APT_SPACE_USED
	GUI Name	ZLABSUP
	GUI Label	# APT SPACE: Used
	SOAXREF Translation Code	

Effective Terms	Start: 19912 End: (None)
Old DW Reference	APT_SPACE_USED
Legacy Element ID	F414
Change History	(None)

## House Spaces Available BUI028

Category	Facilities Inventory / Facilities / Building / BUI028
Description	A count of the housing units available for use within the building. This should be a count of the number of dwelling units, not the number of beds or bedrooms within those units.
Data Type	N
Length	4
Format	X

Collection Period	Current		Following		Annual	Monthly	Other
	Mid-term	End of Term	Mid-term	End of Term			
							Y

Reference Table (None)

Business Practices Value must be between 0 and 19.

Validation Rules **Status: Active**

Severity	Code	Description
Error	VBUI044	house space available must be 0 - 19.

Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_HOUSE_SPACE
	GUI Name	ZLABSUP
	GUI Label	# HSE SPACE: Avail.
	SOAXREF Translation Code	

Effective Terms	Start: 19912 End: (None)
Old DW Reference	HOUSE_SPACE
Legacy Element ID	F415
Change History	(None)

## House Spaces Occupied BUI029

Category	Facilities Inventory / Facilities / Building / BUI029
Description	A count of the occupied dwelling units within the building. The count refers to unit occupancy, not the occupancy of ind

	individual beds or bedrooms within the unit.																		
Data Type	N																		
Length	4																		
Format	X																		
Collection Period	<table border="1"> <thead> <tr> <th colspan="2">Current</th> <th colspan="2">Following</th> <th rowspan="2">Annual</th> <th rowspan="2">Monthly</th> <th rowspan="2">Other</th> </tr> <tr> <th>Mid-term</th> <th>End of Term</th> <th>Mid-term</th> <th>End of Term</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Y</td> </tr> </tbody> </table>	Current		Following		Annual	Monthly	Other	Mid-term	End of Term	Mid-term	End of Term							Y
Current		Following		Annual	Monthly				Other										
Mid-term	End of Term	Mid-term	End of Term																
						Y													
Reference Table	(None)																		
Business Practices	Value must be between 0 and 19.																		
Validation Rules	<p><b>Status: Active</b></p> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI045</td> <td>house spaces occupied cannot be null.</td> </tr> <tr> <td></td> <td>VBUI047</td> <td>house space occupied may not exceed house space available by more than 150%.</td> </tr> </tbody> </table> <p><b>Status: Inactive</b></p> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI046</td> <td>house space occupied greater than 0 is invalid when house space available is 0.</td> </tr> </tbody> </table>	Severity	Code	Description	Error	VBUI045	house spaces occupied cannot be null.		VBUI047	house space occupied may not exceed house space available by more than 150%.	Severity	Code	Description	Error	VBUI046	house space occupied greater than 0 is invalid when house space available is 0.			
Severity	Code	Description																	
Error	VBUI045	house spaces occupied cannot be null.																	
	VBUI047	house space occupied may not exceed house space available by more than 150%.																	
Severity	Code	Description																	
Error	VBUI046	house space occupied greater than 0 is invalid when house space available is 0.																	
Data Source	<table border="1"> <tr> <td>Provider</td> <td>Banner</td> </tr> <tr> <td>Table</td> <td>ZLBBSUP</td> </tr> <tr> <td>Column</td> <td>ZLBBSUP.ZLBBSUP_HOUSE_SPACE_USED</td> </tr> <tr> <td>GUI Name</td> <td>ZLABSUP</td> </tr> <tr> <td>GUI Label</td> <td># HSE SPACE: Used</td> </tr> <tr> <td>SOAXREF Translation Code</td> <td></td> </tr> </table>	Provider	Banner	Table	ZLBBSUP	Column	ZLBBSUP.ZLBBSUP_HOUSE_SPACE_USED	GUI Name	ZLABSUP	GUI Label	# HSE SPACE: Used	SOAXREF Translation Code							
Provider	Banner																		
Table	ZLBBSUP																		
Column	ZLBBSUP.ZLBBSUP_HOUSE_SPACE_USED																		
GUI Name	ZLABSUP																		
GUI Label	# HSE SPACE: Used																		
SOAXREF Translation Code																			
Effective Terms	Start: 19912 End: (None)																		
Old DW Reference	HOUSE_SPACE_USED																		
Legacy Element ID	F416																		
Change History	(None)																		

## Room

<b>Room Code</b>	<b>BRM001</b>
Category	GET0.906 0.898 0.898 rg332.25 -162.5 66.271 rQQBTcQQBT0.2 50.906 0.898 0.898 rg159 -279.1 49.15RETB25 -637.25 cm/R7 DoQQBT0.2

Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
Reference Table							Y

Validation Rules	<b>Status: Inactive</b>	
	Severity	Code
	Error	VBRM002 room description cannot be null.
Data Source	Provider	Banner
	Table	ZLRRUSP
	Column	ZLRRSUP.ZLRRSUP_ROOM_DESCR
	GUI Name	ZLARSUP
	GUI Label	DESC
	SOAXREF Translation Code	
Effective Terms	Start: 19912	End: (None)
Old DW Reference	ROOM_DESC	
Legacy Element ID	F606	
Change History	(None)	

## Room Area in Square Feet BRM003

Category	Facilities Inventory / Facilities / Room / BRM003
Description	Defines the size of a room in assignable square feet.

	SOAXREF Translation Code
Effective Terms	Start: 19912 End: (None)
Old DW Reference	AREA_SQFT
Legacy Element ID	F607
Change History	(None)

## Room Use Code BRM004

Category	Facilities Inventory / Facilities / Room / BRM004						
Description	A numeric code to define a room's primary assigned use.						
Data Type	N						
Length	3						
Format	X						
Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other

	SOAXREF Translation Code		
Effective Terms	Start: 19912 End: (None)		
Old DW Reference	ROOM_USE_CODE		
Legacy Element ID	F608		
Change History	ACADEMIC_TERM	CHANGE_DATE	CHANGE_NOTES
	20232	Sep 9, 2022 12:00:00 AM	Inactivated validation VBRM008. Corrected the Data Source Table name and added Room Use Code '009' to the EDW_FIDM_ROOM_USE_LKP table as a valid value.
		Oct 1, 2012 12:00:00 AM	

	Table	ZLRRSUP		
	Column	ZLRRSUP.ZLRRSUP_PGCL_CODE		
	GUI Name	ZLARSUP		
	GUI Label	Rm Use		
	SOAXREF Translation Code			
Effective Terms	Start:	19912		
	End:	(None)		
Old DW Reference	PROGRAM_CLASS_CODE			
Legacy Element ID	F609			
Change History	ACADEMIC_TERM	CHANGE_DATE	CHANGE_NOTES	
	20232	Sep 9, 2022 12:00:00 AM	Inactivated validations VBRM009 and VBRM010. Corrected the Data Source Table name.	

## Number of Stations

**BRM006**

Category	Facilities Inventory / Facilities / Room / BRM006
Description	



different use. Institutions should develop processes that identify and track such actions, and trigger station count validation and update.

**Validation Rules**

**Status: Active**

Severity	Code	Description
Error	VBRM014	number of stations must be greater than 0 for room use codes 110, 211, 212, 213 and 310.
	VBRM016	number of stations must be greater than or equal to zero for room use codes 221, 222, 230, 250, 350, 410, 411, 412, 430, 611,612, 680.

**Status: Inactive**

Severity	Code	Description
Error	VBRM011	number of stations missing or not numeric.
	VBRM012	number of stations invalid for room use codes 010, 020, 030, 040.
	VBRM013	number of stations required for program class code 11, 12, 13, 52, or 81.

**Data Source**

Provider	Banner
Table	ZLRRSUP
Column	ZLRRSUP.ZLRRSUP_STATION_NUMBER
GUI Name	ZLARSUP
GUI Label	Number Stations
SOAXREF Translation Code	

**Effective Terms**

Start: 19912  
End: (None)

**Old DW Reference**

ROOM\_STATION\_NBR

**Legacy Element ID**

F611

**Change History**

ACADEMIC_TERM	CHANGE_DATE	CHANGE_NOTES
---------------	-------------	--------------

	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
							Y
Reference Table	(None)						
Business Practices	<p>The universe of potential valid values is maintained in the 2010 IPEDS CIP taxonomy. In Banner, institutions maintain an available subset of CIP codes that correspond to the institution's approved degree programs in the CIP Code Validation Form (STVCIPC).</p> <p>CIP code must be entered for all 211 Discipline Class Laboratories), 221 Discipline Open Laboratories, 250 Research Non-Class Laboratories, and 255 Research Service.</p> <p>CIP code must be entered for the following special and general use spaces that support an approved instructional program: 510 Armory, 515 Armory Service, 520 Athletics or Physical Education, 525 Athletics or Physical Education Service, 530 Media Production, 535 Media Production Service, 540 Clinic, 545 Clinic Service, 550 Demonstration, 555 Demonstration Service, 560 Field Building, 570 Animal Quarters, 575 Animal Quarters Service, 580 Greenhouse, 585 Greenhouse Service, 590 Other, 611 Performance Venue, and 616 Venue Service.</p> <p>CIP code must be entered for the following library/study spaces that are specific to an instructional program: 410 Reading/Study, 411 Open Computing Laboratory, 420 Stack, 430 Open Stack Study Room, 440 Processing Room, 455 Study Service.</p> <p>When making CIP coding decisions, the design of a space (configuration, features, fixed equipment, location, access) and the characteristics of scheduled sections and uses should both be considered.</p> <p>CIP code may be entered at varying levels of detail (2 digits, 4 digits, or 6 digits) depending on the extent of use specialization.</p> <p>For example, a dry laboratory of general configuration that is routinely scheduled for Astronomy (40.0201), Physics (40.0801), and Geology/Earth Science (40.0601) sections would be coded with two digits: 40 (Physical Sciences). A dry laboratory that is specialized for Physics instruction, but routinely scheduled for sections in General Physics (40.0801), Optical Physics (40.0807), and Theoretical Physics (40.0810) would be coded with four digits: 4008 (Physics). A dry laboratory that is typically used only for core Physics instruction (40.0801) sections would be coded at six digits: 400801 (Physics).</p>						



Validation Rules	(None)	
Data Source	Provider	ITS
	Table	
	Column	
	GUI Name	
	GUI Label	
	SOAXREF Translation Code	RGTERM
Effective Terms	Start: (None) End: (None)	
Old DW Reference		
Legacy Element ID		
Change History	(None)	